



## Internal Moulded Panel Doors

### 6 Panel Grained

Our most popular door is the six panel grained design. This door will fit a wide variety of interiors and is available in an extensive range of sizes.

- Constructed using softwood timber stile and rail frame
- Suitable for paint finishing
- Fire Door and Developer Door options available
- 35mm thick, 30 minute fire protection option available

Featured Hardware



Chrome  
Mortice Knob  
DFU0063



H1981mm x W381mm (6' 6" x 1' 3") F Standard (3 Panel) DIC0900	H1981mm x W762mm (6' 6" x 2' 6") F Standard DIC0960 P Developer Door DIC3960	H2040mm x W526mm F Standard (3 Panel) DIC1921 P FD E FD30 (3 Panel) DIF0920
H1981mm x W457mm (6' 6" x 1' 6") F Standard (3 Panel) DIC0910	P FD E FD30 DIF0561 P FD FD30 35mm DIF5460	H2040mm x W626mm F Standard DIC1931 P FD E FD30 DIF0930
H1981mm x W533mm (6' 6" x 1' 9") F Standard (3 Panel) DIC0920	H1981mm x W838mm (6' 6" x 2' 9") F M Standard DIC0970 P M Developer Door DIC3970	H2040mm x W726mm F Standard DIC1941 P FD E FD30 DIF0940
H1981mm x W610mm (6' 6" x 2' 0") F Standard DIC0930 P Developer Door DIC3930 P FD E FD30 DIF0531	P FD M FD30 DIF0571 P FD M FD30 35mm DIF5470	H2040mm x W826mm F M Standard DIC1961 P FD E M FD30 DIF0960
H1981mm x W686mm (6' 6" x 2' 3") F Standard DIC0940 P Developer Door DIC3940 P FD E FD30 DIF0541 P FD FD30 35mm DIF5440	H1981mm x W864mm (6' 6" x 2' 10") F M Standard DIC0990	H2032mm x W813mm (6' 8" x 2' 8") F Standard DIC0980 P FD E FD30 DIF0580 P FD FD30 35mm DIF5480
H1981mm x W711mm (6' 6" x 2' 4") F Standard DIC0950		H2040mm x W926mm F M Standard DIC1971 P FD E M FD30 DIF0970





## 6 Panel Grained Bi-Fold

Ideal where space is limited, this folding door combines a natural-looking grain finish with practicality.

- Constructed using softwood timber stile and rail frame
- Suitable for paint finishing
- Supplied pre-hinged complete with running gear
- Two bi-folds can be hung next to each other

H1941/81mm\* x W686mm (6' 4"/6' 6" x 2' 3")  
F Bi-Fold DIP0140

H1941/81mm\* x W762mm (6' 4"/6' 6" x 2' 6")  
F Bi-Fold DIP0160

\*Once the track has been fitted the height is 1981mm.





## 6 Panel Grained 6 Light Glazed

The elegant glazing will brighten any interior whilst the simple design has a versatile finish to suit any property.

- Constructed using softwood timber stile and rail frame
- Suitable for paint finishing
- Supplied with toughened clear glass

Featured Hardware



Brass Mortice Knob  
DFU0050



H1981mm x W610mm (6' 6" x 2' 0") F Glazed	DGM1230	H2040mm x W626mm F Glazed	DGM1330
H1981mm x W686mm (6' 6" x 2' 3") F Glazed	DGM1240	H2040mm x W726mm F Glazed	DGM1340
H1981mm x W762mm (6' 6" x 2' 6") F Glazed	DGM1260	H2040mm x W826mm F M Glazed	DGM1360
H1981mm x W838mm (6' 6" x 2' 9") F M Glazed	DGM1270	H2040mm x W926mm F M Glazed	DGM1370
H2032mm x W813mm (6' 8" x 2' 8") F Glazed	DGM1280		



## 4 Panel Grained

This door is ideal for both traditional and contemporary homes.

- Constructed using softwood timber stile and rail frame
- Suitable for paint finishing
- Fire Door and Developer Door options available

Featured Hardware



Chissi Chrome  
DFU0039



H1981mm x W457mm (6' 6" x 1' 6") F Standard (2 Panel) DIC2010	H1981mm x W762mm (6' 6" x 2' 6") F Standard DIC2060	H2040mm x W626mm F Standard DIC1831
H1981mm x W533mm (6' 6" x 1' 9") F Standard DIC2020	P Developer Door DIC8060	P F D E FD30 DIF2330
H1981mm x W610mm (6' 6" x 2' 0") F Standard DIC2030	P F D E FD30 DIF0661	H2040mm x W726mm F Standard DIC1841
P Developer Door DIC8030	F M Standard DIC2070	P F D E FD30 DIF2340
P F D E FD30 DIF0631	P M Developer Door DIC8090	H2040mm x W826mm F M Standard DIC1861
H1981mm x W686mm (6' 6" x 2' 3") F Standard DIC2040	P F D E M FD30 DIF0671	P F D E M FD30 DIF2360
P Developer Door DIC8040	H2032mm x W813mm (6' 8" x 2' 8") F Standard DIC2080	H2040mm x W926mm F M Standard DIC1871
P F D E FD30 DIF0641	P F D E FD30 DIF0681	P F D E M FD30 DIF2370
H1981mm x W711mm (6' 6" x 2' 4") F Standard DIC2050		



## 4 Panel Grained Bi-Fold

The grained surface of this traditional bi-fold door adds subtle texture to any paint finish.

- Constructed using softwood timber stile and rail frame
- Suitable for paint finishing
- Supplied pre-hinged complete with running gear
- Two bi-folds can be hung next to each other



H1941/81mm\* x W686mm (6' 4"/6' 6" x 2' 3")  
F Bi-Fold DIP0240

H1941/81mm\* x W762mm (6' 4"/6' 6" x 2' 6")  
F Bi-Fold DIP0260

\*Once the track has been fitted the height is 1981mm.





## 4 Panel Grained 2 Light Glazed

The simple decorative etched glazing of this door complements the mouldings.

- Constructed using softwood timber stile and rail frame
- Suitable for paint finishing
- Supplied with toughened frosted glass

Featured Hardware



Chrissi Chrome  
DFU0039



H1981mm x W686mm (6' 6" x 2' 3")	
F Glazed	DGM1440
H1981mm x W762mm (6' 6" x 2' 6")	
F Glazed	DGM1460
H1981mm x W838mm (6' 6" x 2' 9")	
F M Glazed	DGM1470



## 6 Panel Smooth

This six panel door with a smooth surface gives a great opportunity for a traditional paint finish.

- Constructed using softwood timber stile and rail frame
- Suitable for paint finishing
- Fire Door options available

Featured Hardware



Victorian Chrome  
DFU0072



H1981mm x W457mm (6' 6" x 1' 6") F Standard (3 Panel) DIC1010	H1981mm x W762mm (6' 6" x 2' 6") F Standard DIC1060
H1981mm x W533mm (6' 6" x 1' 9") F Standard (3 Panel) DIC1020	P F D E FD30 DIF1060
H1981mm x W610mm (6' 6" x 2' 0") F Standard DIC1030	H1981mm x W838mm (6' 6" x 2' 9") F M Standard DIC1070
H1981mm x W686mm (6' 6" x 2' 3") F Standard DIC1040	P F D E M FD30 DIF1070
P F D E FD30 DIF1040	H1981mm x W864mm (6' 6" x 2' 10") F M Standard DIC1090
	H2032mm x W813mm (6' 8" x 2' 8") P F D E FD30 DIF1080



## 4 Panel Smooth

The understated style of this door makes it suitable for many kinds of interiors and the elegant mouldings work well with most hardware

- Constructed using softwood timber stile and rail frame
- Suitable for paint finishing
- Fire Door options available

Featured  
Hardware



Victorian Chrome  
DFU0072



H1981mm x W457mm (6' 6" x 1' 6")	F Standard (2 Panel) DIC7410
H1981mm x W533mm (6' 6" x 1' 9")	F Standard DIC7420
H1981mm x W610mm (6' 6" x 2' 0")	F Standard DIC7430
	P F D E M FD30 DIF2930
H1981mm x W686mm (6' 6" x 2' 3")	F Standard DIC7440
	P F D E M FD30 DIF2940

H1981mm x W762mm (6' 6" x 2' 6")	F Standard DIC7460
	P F D E M FD30 DIF2960
H1981mm x W838mm (6' 6" x 2' 9")	F M Standard DIC7470
	P F D E M FD30 DIF2970
H2032mm x W813mm (6' 8" x 2' 8")	F Standard DIC7480
	P F D E M FD30 DIF2980





## Arched Top Grained

The elegant mouldings and grained finish can be used to create a modern or classic look.

- Constructed using softwood timber stile and rail frame
- Suitable for paint finishing

Featured Hardware



Sofia Chrome  
DFU0709



H1981mm x W457mm (6' 6" x 1' 6") F Standard DIC0728	H1981mm x W762mm (6' 6" x 2' 6") F Standard DIC0760	H2040mm x W626mm F Standard DIC1530
H1981mm x W533mm (6' 6" x 1' 9") F Standard DIC0729	H1981mm x W838mm (6' 6" x 2' 9") F M Standard DIC0770	H2040mm x W726mm F Standard DIC1540
H1981mm x W610mm (6' 6" x 2' 0") F Standard DIC0730		H2040mm x W826mm F M Standard DIC1560
H1981mm x W686mm (6' 6" x 2' 3") F Standard DIC0740		H2040mm x W926mm F M Standard DIC1570



## Arched Top Grained 6 Light Glazed

The gentle arch and simple moulded panel adds interest to this door whilst clear glazing allows plenty of light into the room.

- Constructed using softwood timber stile and rail frame
- Suitable for paint finishing
- Supplied with toughened clear glass

Featured  
Hardware



Garda Brass  
DFU0701



H1981mm x W686mm (6' 6" x 2' 3")  
F Glazed DGM1540

H1981mm x W762mm (6' 6" x 2' 6")  
F Glazed DGM1560

H1981mm x W838mm (6' 6" x 2' 9")  
F M Glazed DGM1570



## Burford 4 Panel

An elegantly simple four panel moulded door with clean lines is shown with matching Burford Primed MDF Traditional Skirting and Architrave.

- Constructed using softwood timber stile and rail frame
- Suitable for paint finishing
- Fire Door options available
- Matches Burford kitchen ranges (shown with Burford Cream)

### Featured Hardware



Burford Brushed  
Stainless Steel Square  
DFU0760



H1981mm x W457mm (6' 6" x 1' 6") F Standard (2 panel) DIC9810	H1981mm x W762mm (6' 6" x 2' 6") F Standard DIC9860	H2040mm x W626mm F Standard DIC8530
H1981mm x W533mm (6' 6" x 1' 9") F Standard (2 panel) DIC9820	P F D E F D30 DIF2660	H2040mm x W726mm F Standard DIC8540
H1981mm x W610mm (6' 6" x 2' 0") F Standard DIC9830	H1981mm x W838mm (6' 6" x 2' 9") F M Standard DIC9870	H2040mm x W826mm F M Standard DIC8560
H1981mm x W686mm (6' 6" x 2' 3") F Standard DIC9840	P F D E M F D30 DIF2670	H2040mm x W926mm F M Standard DIC8570
P F D E F D30 DIF2640	H2032mm x W813mm (6' 8" x 2' 8") F Standard DIC9880	



## Burford 4 Panel 2 Light Glazed

A simple four panel design which complements a variety of interiors.

- Constructed using softwood timber stile and rail frame
- Suitable for paint finishing
- Supplied with toughened clear glass
- Matches Burford kitchen ranges (shown with Burford Grey)

Featured  
Hardware



Burford Brushed  
Stainless Steel Square  
DFU0760



H1981mm x W686mm (6' 6" x 2' 3")  
F Glazed DIC9140

H1981mm x W762mm (6' 6" x 2' 6")  
F Glazed DIC9160

H1981mm x W838mm (6' 6" x 2' 9")  
F M Glazed DIC9170



## Dordogne Smooth

The smooth finish of this door lends itself to both modern and classic interiors.

- Constructed using softwood timber stile and rail frame
- Suitable for paint finishing
- Fire Door options available

H1981mm x W457mm (6' 6" x 1' 6")  
**F** Standard DIC8310

H1981mm x W533mm (6' 6" x 1' 9")  
**F** Standard DIC8320

H1981mm x W610mm (6' 6" x 2' 0")  
**F** Standard DIC8330

H1981mm x W686mm (6' 6" x 2' 3")  
**F** Standard DIC8340  
**P F D E** FD30 DIF7340

H1981mm x W762mm (6' 6" x 2' 6")  
**F** Standard DIC8360

**P F D E** FD30 DIF7360

H1981mm x W838mm (6' 6" x 2' 9")  
**F M** Standard DIC8370

**P F D E M** FD30 DIF7370

### Featured Hardware



Arva Polished/  
 Satin  
 DFU0650





## Dordogne Smooth Glazed

The large and stylish glazing panel used on this door allows for maximum light to enter the room.

- Constructed using softwood timber stile and rail frame
- Suitable for paint finishing
- Supplied with toughened etched glass

H1981mm x W686mm (6' 6" x 2' 3")  
F Glazed DGM1640

H1981mm x W762mm (6' 6" x 2' 6")  
F Glazed DGM1660

H1981mm x W838mm (6' 6" x 2' 9")  
F M Glazed DGM1670

Featured  
Hardware



Lugano Satin  
Nickel  
DFU0725

